

L Number	Hits	Search Text	DB	Time stamp
-	0	(symbol adj table) same (multiple OR plurality) and (base with symbol with table) and (second\$3 with symbol with table) and (address adj pointer) and cell	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/08/21 17:18
-	1	(symbol adj table) same (multiple OR plurality) and (base with symbol with table) and (second\$3 with symbol with table) and (address adj pointer)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/08/21 17:20
-	0	717/124.ccls. and (symbol adj table) with (multiple OR plurality)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/08/21 17:21
-	0	717/124.ccls. and ((symbol adj table) with (multiple OR plurality))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/08/21 17:21
-	19	717/124.ccls. and (symbol adj table)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/08/25 09:53
-	5	717/124.ccls. and (symbol adj2 table) and second\$3 and look\$1up	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/08/22 14:20
-	14	(symbol adj2 table) same dynamic\$4 and (multiple OR plurality) and (address near2 pointer)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/08/21 17:28
-	2	automatic same (symbol adj2 table) same (selection OR look\$1up)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/08/21 17:29
-	16	debug\$4 and ((symbol adj2 table) near3 (plurality OR multiple OR several))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/25 10:25
-	19	(plurality adj3 ((symbol OR look\$1up) adj2 table)) and debug\$4	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/08/22 11:19
-	698	plurality adj3 ((symbol OR look\$1up) adj2 table)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/08/22 11:23
-	0	secondary adj2 symbol adj table	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/08/26 16:10
-	0	secondary adj2 (symbol adj table)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/08/22 11:36
-	122196	(scan OR determine) same ((symbol OR lookup) table)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/08/22 11:37
-	109133	(select\$3) with ((symbol OR lookup) table)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/08/22 11:38
-	618	(select\$3) with ((symbol OR lookup) table) and debug and pointer	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/08/22 11:38

-	525	((select\$3) with ((symbol OR lookup) table) and debug and pointer) and identify\$3	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/08/22 11:38
-	153	((select\$3) with ((symbol OR lookup) table) and debug and pointer) and identify\$3) and (range near2 address\$2)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/08/22 11:39
-	49	((select\$3) with ((symbol OR lookup) table) and debug and pointer) and identify\$3) and (range near2 address\$2)) and (program near counter)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/08/25 08:09
-	109	select\$3 near2 (symbol near2 table)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/08/22 14:22
-	56	(select\$3 near2 (symbol near2 table)) and identify	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/08/22 14:25
-	51	717.clas. and determine with (symbol adj table)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/08/22 14:26
-	51	717.clas. and determine with (symbol adj table) and "tables"	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/08/22 14:30
-	51	717.clas. and determine with (symbol adj "tables")	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/08/22 14:30
-	354	717.clas. and "symbol tables"	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/08/22 14:37
-	0	"plurality of symbol tables"	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/08/22 14:38
-	7	"multiple symbol tables"	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/08/25 10:16
-	51	717.clas. and determine with "symbol tables"	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/08/25 10:17
-	0	"base symbol table" same select\$3 same pointer	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/08/22 15:00
-	1	"base symbol table" same select\$3	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/08/26 16:38
-	4204	(multiple OR plurality) and ((symbol OR look\$1up) adj table) with select\$3	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/08/22 15:02
-	606	(multiple OR plurality) with ((symbol OR look\$1up) adj table) with select\$3	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/08/22 15:03

-	1	((multiple OR plurality) with ((symbol OR look\$1up) adj table) with select\$3) and debug	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/08/22 15:03
-	17	((multiple OR plurality) with ((symbol OR look\$1up) adj table) with select\$3) and (address near pointer)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/08/22 15:03
-	1	debug\$4 and ((relocation adj2 table) near3 (plurality OR multiple OR several))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/22 15:18
-	0	((((select\$3) with ((symbol OR lookup) adj table) and debug and pointer) and identify\$3) and (range near2 address\$2)) and (program near counter)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/08/25 08:10
-	0	((((select\$3) with ((symbol OR lookup) adj table) and debug and pointer) and identify\$3) and (range near2 address\$2))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/08/25 08:10
-	20857	(select\$3) with ((symbol OR lookup))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/08/25 08:10
-	10	dynamic\$4 same define same (symbol adj2 table)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/08/25 08:13
-	8	address with identify\$3 with (symbol adj2 table)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/25 09:00
-	0	address with identify\$3 with (relocatable adj2 table)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/25 09:00
-	0	address with identify\$3 with (re\$1locatable adj2 table)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/25 09:04
-	0	identify\$3 with multiple with (symbol adj2 table)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/25 09:04
-	6	identify\$3 same multiple same ((symbol OR relocation OR relocatable) adj2 table)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/25 09:07
-	133	multiple and identify\$3 same ((symbol OR relocation OR relocatable) adj2 table)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/25 09:43
-	57	((multiple and identify\$3 same ((symbol OR relocation OR relocatable) adj2 table)) and memory same pointer	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/25 09:20
-	0	20020129336.URPN.	USPAT	2003/08/25 09:19
-	0	20020129336.URPN.	USPAT	2003/08/25 09:19

-	53	debug\$4 same software same multiple same computer same system	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/08/25 09:22
-	31	(debug\$4 same software same multiple same computer same system) and table	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/08/25 09:29
-	45	select\$3 adj2 ((symbol OR relocation) adj table)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/08/25 09:36
-	13	symbol adj table adj set	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/08/25 09:36
-	1	automatic\$4 adj select\$3 adj (symbol OR relocation OR relocate\$3) adj table	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/25 09:45
-	3	select\$3 adj (symbol OR relocation OR relocate\$3) adj table same (list OR group OR set)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/08/25 09:47
-	22	(test\$3 OR debug\$4) same select\$3 same ((symbol OR relocat\$4) adj table)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/08/25 10:00
-	29	(test\$3 OR debug\$4) same select\$3 same (table with object with information)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/08/25 10:01
-	0	"multiple relocat\$4 tables"	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/08/25 10:16
-	0	"multiple relocation tables"	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/08/25 10:16
-	52	717.clas. and (determine OR select OR pick) with "symbol table"	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/08/25 10:18
-	52	717.clas. and (determine OR select OR pick) with "symbol tables"	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/08/25 10:18
-	87	debug\$4 and (symbol adj2 table) and (program adj counter) and (memory with address) and range	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/08/25 10:26
-	48	(debug\$4 and (symbol adj2 table) and (program adj counter) and (memory with address) and range) and (range near address\$2)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/08/25 10:40
-	11	((debug\$4 and (symbol adj2 table) and (program adj counter) and (memory with address) and range) and (range near address\$2)) and address adj pointer	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/08/25 10:41
-	6	(choos\$3 or select\$3 or locat\$3) near ((symbol OR relocat\$4) near (table or list)) and (memory with address) same pointer	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/08/25 10:55

-	13	(debug\$4 with program) same access same ((symbol OR relocation OR look\$1up) adj2 table)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/08/25 11:01
-	110	717.clas. and ((symbol OR relocation) adj table) and debug	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/08/25 11:02
-	31	717.clas. and ((symbol OR relocation) adj table) and debug\$4 and (address near pointer)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/08/25 11:03
-	2445	"symbol tables"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/25 13:12
-	351708	"symbol tables" and tables.ti. OR tables.ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/25 11:39
-	677	"symbol tables" and (tables.ti. OR tables.ab.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/25 11:39
-	40	("symbol tables" and (tables.ti. OR tables.ab.)) and (address near pointer)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/25 13:12
-	320	"symbol tables"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/25 13:12
-	33	"symbol tables" and (address near pointer)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/25 13:12
-	0	relocat\$4 and debug\$4 and multi\$1cell and computer and system and symbol	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/08/25 13:33
-	231	relocat\$4 and debug\$4 and multi and computer and system and symbol	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/08/25 13:35
-	2	relocat\$4 and multi\$1cell and computer and system and symbol	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/08/25 13:36
-	0	((symbol OR relocation) adj table) and (relocated adj software) and linking	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/08/25 13:37
-	410	((symbol OR relocation) adj table) and linking	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/08/25 13:38
-	73	((((symbol OR relocation) adj table) and linking) and relocated	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/08/25 13:40

-	41	"relocation tables"	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/08/25 13:40
-	37	"base symbol table" OR "global symbol table"	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/08/25 15:43
-	2	symbol adj table adj array	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/08/25 15:44
-	17	array near2 (symbol adj table)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/08/25 15:44
-	90	717.clas. and "symbol tables"	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/08/26 09:48
-	106	717.clas. and "symbol tables"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/26 09:49
-	16	712.clas. and "symbol tables"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/26 11:24
-	0	(active adj cell) same (plurality near3 cell) and (symbol adj table)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/08/26 14:37
-	12	(active adj cell) same (plurality near3 cell) and processor	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/08/26 15:11
-	3	identify\$3 near4 (active adj processor) and (plurality near2 processor)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/08/26 15:12
-	0	secondary same symbol adj table	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/08/26 16:11
-	268	second\$3 same symbol adj table	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/08/26 16:11
-	44	second\$3 near3 symbol adj table	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/08/26 16:11
-	48	second\$3 near3 (symbol adj table)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/08/26 16:11
-	30	(symbol adj table) near3 base	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/08/26 16:38
-	0	(address adj pointer) same (point\$3 near3 (symbol adj table))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/08/27 13:53

-	75	pointer same (point\$3 near3 (symbol adj table))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/08/27 13:53
-	0	select same mark same (symbol adj table) same active	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/08/27 15:47
-	1	mark same (symbol adj table) same active	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/08/27 15:48
-	0	(relocation adj table) near4 active	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/08/27 15:49
-	2	(symbol adj table) near4 active	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/08/27 15:49